



ACME GO Rack



ACME GO RACK is a live production powerhouse built for in-place studio environments or mobile on-the-go production rigs. It is compatible with a multitude of software to provide producers with the ideal environment based on their needs.

Compact Design

Designed for maximum space efficiency, the ACME GO RACK is built into an ultra-short depth 2U rackmount configuration. At just over 16" deep, you won't need a huge transport rack case to house a unit for your OB truck or vehicle.

Flexible Inputs

Video I/O is delivered using best-of-breed AJA and Magewell technology. Pro-level 3G HD-SDI inputs allow for long cable runs with locking connectors. On 4/4K units, the additional 4K HDMI input provides the ability to ingest 4K camera footage.

Advanced Software

The ACME GO RACK is compatible with a wide variety of production software and are specifically configured to work closely with Telestream Wirecast Studio or Pro and vMix HD or Pro.

Technical Specifications

PRODUCT	ACME GO RACK
VIDEO INPUT	OPTION 1: 4X HD-SDI, OPTION 2: 4X HD-SDI + 1X 4K HDMI
VIDEO OUTPUT	UP TO 2X 3G/HD/SD-SDI + 1X HDMI + 1X DISPLAYPORT + 1X DVI-D
CPU	INTEL CORE I7-8700K, 4.2GHZ, 91W
GRAPHICS CARD	GTX 1050 TI 4GB
MEMORY	16GB DDR4 MEMORY
STORAGE	250GB M.2 SSD SYSTEM DRIVE
DIMENSIONS	WIDTH: 19.00" (482.6MM), HEIGHT: 3.50" (88.9MM), DEPTH: 16.94"(430MM)

* The technical specifications are an example of the system's capabilities. They can be customized specifically for your needs. If you have any questions, feel free to contact one of our sales representatives.



Headquarters - USA

ACME Portable Machines, Inc.
1330 Mountain View Circle,
Azusa, CA, 91702, USA
Tel: +1 626.610.1888
Fax: +1 626.610.1881
www.acmeportable.com

Germany

ACME Portable Computer GmbH
Benzstraße 15,
76185 Karlsruhe, Germany
Tel: +49.721.570.4530
Fax: +49.721.570.45329
www.acmeportable.de

Taiwan

ACME Portable Corp.
5F, No 25, Wuquan 3rd Road,
Wugu Dist., New Taipei City 248,
Taiwan R.O.C
Tel: +886.2.2298.3636
Fax: +886.2.2298.3737
www.acmeportable.com.tw